

# DOUGLAS COUNTY LEVIES AND TAXES FOR 2017

DISTRICT		VALUATION	LEVY	TAX	NEW CONSTRUCTION (INCLUDED IN VALUATION)
STATE		\$ 4,991,954,364	2.109258	\$ 10,529,320	\$ 76,071,019
COUNTY					
CURRENT EXPENSE		\$ 5,027,332,673	1.169906	\$ 5,881,507	
CD RSN MH		\$ 5,027,332,673	0.012500	\$ 62,842	
CD DD		\$ 5,027,332,673	0.012500	\$ 62,842	
VETERANS RELIEF		\$ 5,027,332,673	0.012500	\$ 62,842	
TOTAL COUNTY		\$ 5,027,332,673	1.207406	\$ 6,070,032	\$ 76,071,019
PORT DISTRICT		\$ 5,027,332,673	0.190381	\$ 957,109	\$ 76,071,019
ROAD DISTRICT		\$ 3,665,988,471	1.609255	\$ 5,899,510	\$ 64,738,819
LIBRARY DISTRICT		\$ 4,977,134,341	0.374913	\$ 1,865,992	\$ 73,713,319
EASTMONT MET PARK	REG	\$ 3,809,806,577	0.231392	\$ 881,559	\$ 61,624,703
	EXCESS	\$ 3,767,795,377	0.080914	\$ 304,867	
	TOTAL		0.312306	\$ 1,186,426	
HOSPITAL DISTRICT #1	REG	\$ 256,065,479	0.750000	\$ 192,049	
	BOND	\$ 254,023,279	0.000000	\$ -	
	TOTAL		0.750000	\$ 192,049	\$ 2,817,400
HOSPITAL DISTRICT #2	REG	\$ 200,929,038	0.361549	\$ 72,646	
	EXCESS	\$ 199,260,638	0.351366	\$ 70,013	
	TOTAL		0.712915	\$ 142,659	\$ 848,700
HOSPITAL DISTRICT #3	REG	\$ 34,321,404	0.011654	\$ 400	
	BOND	\$ 34,321,404	0.000000	\$ -	
	TOTAL		0.011654	\$ 400	\$ 458,000
HOSPITAL DISTRICT #6	REG	\$ 14,841,627	0.557851	\$ 8,279	
	BOND	\$ 14,600,927	0.000000	\$ -	
	TOTAL		0.557851	\$ 8,279	\$ -
FIRE DISTRICT #1	REG	\$ 139,391,456	0.634744	\$ 88,478	
	BOND	\$ 138,918,956	0.000000	\$ -	
	TOTAL		0.634744	\$ 88,478	\$ 832,100
FIRE DISTRICT #2	REG	\$ 3,911,628,860	1.152146	\$ 4,506,768	
	BOND	\$ 3,868,425,660	0.000000	\$ -	
	TOTAL		1.152146	\$ 4,506,768	\$ 62,475,903
FIRE DISTRICT #3	REG	\$ 40,740,643	1.000008	\$ 40,741	
	BOND	\$ 40,740,643	0.000000	\$ -	
	TOTAL		1.000008	\$ 40,741	\$ 192,700
FIRE DISTRICT #4	REG	\$ 505,969,541	0.609510	\$ 308,393	
	BOND	\$ 505,143,241	0.000000	\$ -	
	TOTAL		0.609510	\$ 308,393	\$ 8,265,316
FIRE DISTRICT #5	REG	\$ 114,098,444	0.594695	\$ 67,854	
	BOND	\$ 113,796,544	0.298778	\$ 34,000	
	TOTAL		0.893473	\$ 101,854	\$ 1,600,500

DOUGLAS COUNTY LEVIES  
AND TAXES FOR 2017

<u>DISTRICT</u>		<u>VALUATION</u>	<u>LEVY</u>	<u>TAX</u>	<u>NEW CONSTRUCTION</u>
FIRE DISTRICT #8	REG	\$ 36,986,976	0.299127	\$ 11,064	
	BOND	36,939,576	0.000000	\$ -	
	TOTAL		0.299127	\$ 11,064	\$ 205,600
FIRE DISTRICT #J15	REG	108,857,032	0.736317	\$ 80,153	
	BOND	108,449,232	0.234858	\$ 25,470	
	TOTAL		0.971175	\$ 105,623	\$ 823,100
FIRE EMS #J15	REG	108,857,032	0.460615	\$ 50,141	
	BOND	108,449,232	0.000000	\$ -	
	TOTAL		0.460615	\$ 50,141	\$ 823,100
CEMETERY DISTRICT #1	REG	\$ 390,212,016	0.036723	\$ 14,330	
	BOND	\$ 389,385,716	0.000000	\$ -	
	TOTAL		0.036723	\$ 14,330	\$ 5,060,716
CEMETERY DISTRICT #2	REG	\$ 165,544,503	0.077564	\$ 12,840	
	EXCESS	\$ 164,022,803	0.243925	\$ 40,009	
	TOTAL		0.321489	\$ 52,850	\$ 290,000
CEMETERY DISTRICT #3	REG	\$ 44,670,362	0.061194	\$ 2,734	
	BOND	44,622,962	0.000000	\$ -	
	TOTAL		0.061194	\$ 2,734	\$ 205,600
MOSQUITO CONTROL DIST. #1	EXCESS	\$ 67,411,628	0.000000	\$ -	\$ 250,200
<u>CITIES &amp; TOWNS</u>		<u>VALUATION</u>	<u>LEVY</u>	<u>TAX</u>	
BRIDGEPORT	REG	\$ 56,159,434	1.863696	\$ 104,664	
	BOND	\$ 54,845,334	0.000000	\$ -	
	TOTAL		1.863696	\$ 104,664	\$ 1,280,100
COULEE DAM	REG	\$ 14,841,627	2.240910	\$ 33,259	
	BOND	\$ 14,600,927	0.000000	\$ -	
	TOTAL		2.240910	\$ 33,259	\$ -
EAST WENATCHEE	REG	\$ 1,172,733,181	1.383907	\$ 1,622,954	
	BOND	\$ 1,155,072,681	0.000000	\$ -	
	TOTAL		1.383907	\$ 1,622,954	\$ 7,444,200
MANSFIELD	REG	\$ 14,710,872	2.141273	\$ 31,500	
	BOND	\$ 14,458,872	0.000000	\$ -	
	TOTAL		2.141273	\$ 31,500	\$ 398,100
ROCK ISLAND	REG	\$ 35,487,460	1.874621	\$ 66,526	
	BOND	\$ 34,543,660	0.000000	\$ -	
	TOTAL		1.874621	\$ 66,526	\$ 1,959,600
WATERVILLE	REG	\$ 67,411,628	2.767294	\$ 186,548	
	BOND	\$ 66,050,028	0.000000	\$ -	
	TOTAL		2.767294	\$ 186,548	\$ 250,200

## DOUGLAS COUNTY LEVIES AND TAXES FOR 2017


SCHOOL DISTRICTS		VALUE	LEVY	TAX	NEW CONSTRUCTION
LAKE CHELAN #12J	M&O	\$ 116,558,875	1.515615	\$ 176,658	
	BOND	\$ 116,558,875	0.717621	\$ 83,645	
	TOTAL		2.233236	\$ 260,303	\$ 3,549,400
ORONDO #13	M&O	\$ 389,385,716	2.589863	\$ 1,008,456	
	BOND	\$ 389,385,716	0.000000	\$ -	
	TOTAL		2.589863	\$ 1,008,456	\$ 5,060,716
EPHRATA #55J	M&O	\$ 5,115,289	4.782227	\$ 24,462	
	BOND	\$ 5,115,289	0.000000	\$ -	
	TOTAL		4.782227	\$ 24,462	\$ 11,100
BRIDGEPORT #75	M&O	\$ 120,024,052	1.892197	\$ 227,109	
	CAP PROJ	\$ 120,024,052	1.394534	\$ 167,378	
	BOND	\$ 120,024,052	0.365718	\$ 43,895	
	TOTAL		3.652449	\$ 438,382	\$ 2,012,700
QUINCY #101J	M&O	\$ 30,108,853	2.395171	\$ 72,116	
	BOND	\$ 30,108,853	1.884630	\$ 56,744	
	TOTAL		4.279801	\$ 128,860	\$ 196,400
PALISADES #102	M&O	\$ 58,935,090	1.810364	\$ 106,694	
	BOND	\$ 58,935,090	0.000000	\$ -	
	TOTAL		1.810364	\$ 106,694	\$ 138,700
COULEE-HARTLINE #151J	M&O	\$ 51,250,294	2.374500	\$ 121,694	
	BOND	\$ 51,250,294	0.000000	\$ -	
	TOTAL		2.374500	\$ 121,694	\$ 199,600
BREWSTER #203J	M&O	\$ 76,436,387	2.654680	\$ 202,914	
	BOND	\$ 76,436,387	2.573791	\$ 196,731	
	TOTAL		5.228471	\$ 399,645	\$ 552,300
EASTMONT #206	M&O	\$ 3,838,403,148	2.451018	\$ 9,407,995	
	BOND	\$ 3,838,403,148	1.367068	\$ 5,247,358	
	TOTAL		3.818086	\$ 14,655,353	\$ 62,931,203
MANSFIELD #207	M&O	\$ 73,968,696	2.045554	\$ 151,307	
	BOND	\$ 73,968,696	0.000000	\$ -	
	TOTAL		2.045554	\$ 151,307	\$ 627,700
WATERVILLE #209	M&O	\$ 186,919,197	4.288739	\$ 801,648	
	BOND	\$ 186,919,197	0.000000	\$ -	
	TOTAL		4.288739	\$ 801,648	\$ 657,300
COULEE DAM #302J	M&O	\$ 31,928,676	4.165144	\$ 132,988	
	BOND	\$ 31,928,676	0.000000	\$ -	
	TOTAL		4.165144	\$ 132,988	\$ 106,200

# DOUGLAS COUNTY LEVIES AND TAXES FOR 2017

TOTAL STATE TAX					\$ 10,529,320	
TOTAL COUNTY TAX					\$ 6,070,032	
TOTAL PORT TAX					\$ 957,109	
TOTAL ROAD TAX					\$ 5,899,510	
TOTAL LIBRARY TAX					\$ 1,865,992	
TOTAL PARK TAX					\$ 1,186,426	
TOTAL SCHOOL TAX					\$ 18,229,792	
TOTAL FIRE TAX					\$ 5,162,921	
TOTAL HOSPITAL TAX					\$ 343,387	
TOTAL TOWN TAX					\$ 2,045,451	
TOTAL EMS TAX					\$ 50,141	
TOTAL CEMETERY TAX					\$ 69,914	
TOTAL WATER TAX					\$ -	
TOTAL MOSQUITO CONTROL TAX					\$ -	
TOTAL TAX LEVIED IN 2016 FOR 2017 COLLECTION					\$ 52,409,995	

I certify these taxes to be levied on the real and personal property in Douglas County for the year 2017.

Witness my hand this 8 day of February

  
James H. Ruud, Douglas County Assessor


James H. Ruud, Douglas County Assessor



DOUGLAS COUNTY LEVIES  
AND TAXES FOR 2017

I, JAMES H. RUUD, ASSESSOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY  
THAT THE ATTACHED IS A TRUE AND CORRECT COPY OF VALUATIONS OF DOUGLAS COUNTY  
FOR 2016, ON WHICH WILL BE BASED THE 2017 TAX.

WITNESS MY HAND THIS 8 DAY OF February 2017


  
DOUGLAS COUNTY ASSESSOR

I, THAT DUVALL, AUDITOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY THAT  
THE LEVIES SET FORTH HEREIN ARE TRUE AND CORRECT AS THEY WERE FIXED BY THE  
BOARD OF COUNTY COMMISSIONERS.

WITNESS BY HAND THIS 8 DAY OF Feb 2017

 Deputy  
DOUGLAS COUNTY AUDITOR

## 2017 TAX DISTRIBUTION







**Jim Ruud**  
Douglas County Assessor  
P.O. Box 387  
213 S. Rainier St.  
Waterville, WA 98858-0609  
(509) 745-8521

## District Listing

District	Description	Active	Factor	Excess Rate	Base Rate	Total Rate
Roll Year: 2017						
1	B-75-H1-L; (ST;CO;PORT;)	True	0.00000000	3.65244930	6.49565400	10.14810330
5	M-207-F5-H1 (ST;CO;PORT)	True	0.00000000	2.34433200	6.99301300	9.33734500
10	RI-206-F2 (ST;CO;PORT;)	True	0.00000000	3.81808600	6.53381200	10.35189800
11	RI-206-F2-EMPD (ST;CO;PORT;)	True	0.00000000	3.89900000	6.76520400	10.66420400
15	W-209-H2-C2-L-MOSA (ST;CO;PORT;)	True	0.00000000	4.88403000	7.08836500	11.97239500
19	B-75-H1-L; (CO;PORT)	False		0.00000000		
21	EW-206-F2-EMPD-L (ST;CO;PORT;)	True	0.00000000	3.89900000	6.64940300	10.54840300
25	CD-302J-H6-L-CAP (ST;CO;PORT;)	True	0.00000000	4.16514400	6.68071900	10.84586300
50	206-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.89900000	5.72260500	9.62160500
51	206-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.81808600	6.10072300	9.91880900
52	206-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.81808600	6.12595700	9.94404300
53	206-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.16945200	6.46227200	10.63172400
54	206-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.16945200	6.48750600	10.65695800
55	206-F2-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.89900000	6.87475100	10.77375100
59	M-207-H1 (CO;PORT)	False		0.00000000		
91	12J-F4 (ST;CO;PORT;RD;LIBRARY;)	True	0.00000000	2.23323600	6.10072300	8.33395900
92	12J-F5 (ST;CO;PORT;RD;LIBRARY)	True	0.00000000	2.53201400	6.08590800	8.61792200
93	12J-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.58460200	6.46227200	9.04687400
95	13-F4-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.58986300	6.13744600	8.72730900
96	13-F4-H2-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.94122900	6.49899500	9.44022400
100	13-F1-H2-C1 (ST;CO;PORT;RD;LIB)	True	0.00000000	2.94122900	6.52422900	9.46545800
109	RI-206-F2 (CO;PORT)	False		0.00000000		
110	302J-F3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.16514400	6.49122100	10.65636500
112	302J-F3-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.16514400	6.50287500	10.66801900

110023\_DistrictListing\_AA

District Listing

Printed on 2/8/2017 1:37:39 PM

www.letascan.com

115	302J-F5-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.46392200	6.09756200	10.56148400
119	R1-206-F2-EMPD (CO;PORT)	False	0.00000000			
159	W-209-H2-C2-L (CO;PORT)	False	0.00000000			
180	55J (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.78222700	5.49121300	10.27344000
182	55J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.78222700	5.85153400	10.63376100
190	75-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.95122730	6.09756200	10.04878930
196	75-F3-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.65244930	6.50287500	10.15532430
210	75-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.65244930	6.24121300	9.89366230
215	75-FJ15-H1-EMS (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.88730730	7.43814500	11.32545230
216	75-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.95122730	6.83590800	10.78713530
217	75-FJ15-H1-EMS-BAR (ST;CO;PT;RD,L)	True	0.00000000	3.88730730	7.43814500	11.32545230
219	EW-206-F2-EMPD-L (CO;PORT)	False	0.00000000			
220	75-F3-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.65244930	7.24122100	10.89367030
235	101J-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.27980100	6.64335900	10.92316000
240	102 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.81036400	5.49121300	7.30157700
241	102-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.40565500	6.56507000	8.97072500
242	102-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.81036400	6.64335900	8.45372300
243	102-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.16173000	6.48750600	8.64923600
245	209 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.28873900	5.49121300	9.77995200
246	209-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.64010500	6.46227200	11.10237700
247	209-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.64010500	5.85276200	10.49286700
248	209-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.64010500	6.48750600	11.12761100
249	209-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.28873900	6.10072300	10.38946200
250	209-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	4.88403000	6.56507000	11.44910000
251	209-F1-C2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.53266400	6.20352100	10.73618500
252	209-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.28873900	6.12595700	10.41469600
253	209-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.28873900	5.85153400	10.14027300
254	209-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.28873900	6.64335900	10.93209800
259	CD-302J-H6-L-CAP (CO;PORT)	False	0.00000000			
261	209-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.93888300	6.44745700	11.38634000
262	209-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.58751700	6.83590800	11.42342500
263	209-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.58751700	6.08590800	10.67342500
270	207-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.04555400	5.85153400	7.89708800



271	207-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.64084500	6.56507000	9.20591500
272	207-F1-H2-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.39692000	6.54870000	8.94562000
275	207-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.34433200	6.83590800	9.18024000
276	207-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.69569800	6.44745700	9.14315500
277	207-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.34433200	6.08590800	8.43024000
278	207-F5-H1-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.34433200	6.89710200	9.24143400
279	207-F5-H2-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.69569800	6.50865100	9.20434900
280	207-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	2.28041200	7.43814500	9.71855700
281	207-F5-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.34433200	6.14710200	8.49143400
282	207-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.34433200	6.09756200	8.44189400
290	203J-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	5.46332900	7.43814500	12.90147400
291	203J-FJ15-H1-EMS-BAR (ST;CO;PORT;RD;L)	True	0.00000000	5.46332900	7.43814500	12.90147400
295	151J (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.37450000	5.49121300	7.86571300
296	151J-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.72586600	5.85276200	8.57862800
298	151J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.37450000	5.85153400	8.22603400
300	151J-F5-H1-C3 (ST;CO;PT;RD;LIB)	True	0.00000000	2.67327800	6.89710200	9.57038000
305	151J-F5-H3 (ST;CO;PORT;RD;LIB)	True	0.00000000	2.67327800	6.09756200	8.77084000
306	151J-F5-C3 (ST;CO;PORT;RD;LIB)	True	0.00000000	2.67327800	6.14710200	8.82038000
509	206-EMPD (CO;PORT;RD;LIB;)	False	0.00000000			
519	206-F4 (CO;PORT;RD;LIB;)	False	0.00000000			
529	206-F1 (CO;PORT;RD;LIB;)	False	0.00000000			
539	206-F4-H2 (CO;PORT;RD;LIB;)	False	0.00000000			
549	206-F1-H2 (CO;PORT;RD;LIB;)	False	0.00000000			
559	206-F2-EMPD (CO;PORT;RD;LIB;)	False	0.00000000			
919	12J-F4 (CO;PORT;RD;LIBRARY;)	False	0.00000000			
929	12J-F5 (CO;PORT;RD;LIBRARY)	False	0.00000000			
939	12J-F4-H2 (CO;PORT;RD;LIB;)	False	0.00000000			
959	13-F4-C1 (CO;PORT;RD;LIB;)	False	0.00000000			
969	13-F4-H2-C1 (CO;PORT;RD;LIB;)	False	0.00000000			
1009	13-F1-H2-C1 (CO;PORT;RD;LIB)	False	0.00000000			
1109	302J-F3-CAP (CO;PORT;RD;LIB;)	False	0.00000000			
1129	302J-F3-H3-CAP (CO;PORT;RD;LIB;)	False	0.00000000			
1159	302J-F5-H3-CAP (CO;PORT;RD;LIB;)	False	0.00000000			

1809	55J (CO;PORT;RD;LIB;)	False	0.00000000
1829	55J-F8-C3 (CO;PORT;RD;LIB;)	False	0.00000000
1909	75-F5-H3 (CO;PORT;RD;LIB;)	False	0.00000000
1969	75-F3-H3 (CO;PORT;RD;LIB;)	False	0.00000000
2109	75-H1 (CO;PORT;RD;LIB;)	False	0.00000000
2159	75-FJ15-H1-EMS (CO;PORT;RD;LIB;)	False	0.00000000
2169	75-F5-H1 (CO;PORT;RD;LIB;)	False	0.00000000
2179	75-FJ15-H1-EMS-BAR (CO;PT;RD;L)	False	0.00000000
2209	75-F3-H1 (CO;PORT;RD;LIB;)	False	0.00000000
2359	101J-F2 (CO;PORT;RD;LIB;)	False	0.00000000
2409	102 (CO;PORT;RD;LIB;)	False	0.00000000
2419	102-F1-H2-C2 (CO;PT;RD;LIB;)	False	0.00000000
2429	102-F2 (CO;PORT;RD;LIB;)	False	0.00000000
2439	102-F1-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2459	209 (CO;PORT;RD;LIB;)	False	0.00000000
2469	209-F4-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2479	209-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2489	209-F1-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2499	209-F4 (CO;PORT;RD;LIB;)	False	0.00000000
2509	209-F1-H2-C2 (CO;PT;RD;LIB;)	False	0.00000000
2519	209-F1-C2 (CO;PORT;RD;LIB;)	False	0.00000000
2529	209-F1 (CO;PORT;RD;LIB;)	False	0.00000000
2539	209-F8-C3 (CO;PORT;RD;LIB;)	False	0.00000000
2549	209-F2 (ST;CO;PORT;RD;LIB;)	False	0.00000000
2619	209-F5-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2629	209-F5-H1 (CO;PORT;RD;LIB;)	False	0.00000000
2639	209-F5 (CO;PORT;RD;LIB;)	False	0.00000000
2709	207-F8-C3 (CO;PORT;RD;LIB;)	False	0.00000000
2719	207-F1-H2-C2 (CO;PT;RD;LIB;)	False	0.00000000
2729	207-F1-H2-C3 (CO;PT;RD;LIB;)	False	0.00000000
2759	207-F5-H1 (CO;PORT;RD;LIB;)	False	0.00000000
2769	207-F5-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2779	207-F5 (CO;PORT;RD;LIB;)	False	0.00000000

2789	207-F-5-H1-C3 (CO;PT;RD;LIB;)	False	0.00000000
2799	207-F-5-H2-C3 (CO;PT;RD;LIB)	False	0.00000000
2809	207-F-J15-H1-EMS (CO;PORT;RD;LIB;)	False	0.00000000
2819	207-F-5-C3 (CO;PORT;RD;LIB;)	False	0.00000000
2829	207-F-5-H3 (CO;PORT;RD;LIB;)	False	0.00000000
2909	203-J-F-J15-H1-EMS (CO;PORT;RD;LIB;)	False	0.00000000
2919	203-J-F-J15-H1-EMS-BAR (CO;PORT;RD,L)	False	0.00000000
2959	151-J (CO;PORT;RD;LIB;)	False	0.00000000
2969	151-J-H2 (CO;PORT;RD;LIB;)	False	0.00000000
2989	151-J-F-8-C3 (CO;PORT;RD;LIB;)	False	0.00000000
3009	151-J-F-5-H1-C3 (CO;PT;RD;LIB)	False	0.00000000
3059	151-J-F-5-H3 (CO;PORT;RD;LIB)	False	0.00000000
3069	151-J-F-5-C3 (CO;PORT;RD;LIB)	False	0.00000000